

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1518	calibrat\$5 with method with (scann\$5 or (imag\$5 near5 (reading or reader)) or (image-captur\$5 or (imag\$5 near3 captur\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:43
L2	1517	1 and (not ((calibrat\$5 near3 chart) near3 built-in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:44
L3	1517	1 and (not ((calibrat\$5 near3 chart) near8 built-in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:45
L4	1	1 and (((calibrat\$5 near3 chart) near8 built-in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:46
L5	18	1 and (((calibrat\$5) near8 built-in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:47
L6	52	1 and ((calibrat\$5) near8 external\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:55
L7	90	1 and ((calibrat\$5) near8 (outside or external\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:55